

The Role of Physical Activity in Children's Brain Development and Learning: A Systematic Review

Yaser Khanjari

Assistant Professor, K.N. Toosi University of Technology, Tehran, IRAN.

***Corresponding Author:** Yaser Khanjari. Assistant Professor, K.N. Toosi University of Technology, Tehran, IRAN.**Received Date:** 20 December 2024 | **Accepted Date:** 18 January 2025 | **Published Date:** 2 January 2025**Citation:** Yaser Khanjari, (2024), The Role of Physical Activity in Children's Brain Development and Learning: A Systematic Review, *J. Brain and Neurological Disorders*, 7(3): DOI:10.31579/2640-1045/106**Copyright:** © 2024, Yaser Khanjari. This is an open-access article distributed under the terms of The Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.

Abstract

Childhood is an important and sensitive period for cognitive development. Since most of the special learning disabilities are neurological in nature and all learning functions are formed in the brain, any defect in the functioning of the central nervous system can be considered one of the most important causes of learning disabilities. Regular physical activity leads to adjustment of adaptations in the hippocampus. The hippocampus is the main center of learning and memory in the brain, which is very effective in the cognitive development of children. Although researches have shown that physical activity can increase the levels of neurotransmitters and thus the cognitive function of the brain by increasing the growth of cerebral capillaries and the growth of nerve cells in the hippocampus, however, there is still less awareness and practical measures in relation to this issue exists among parents, educators and all those involved in the education of children. In this article, we reviewed the research related to this topic from 2000 to 2023. The results show that participation in sports in late childhood has a positive effect on cognitive and emotional functions. There are few publications that examine the effect of sports on cognitive functions during adolescence, or which cognitive functions are developed by which sports. These results can be useful for sports coaches who train children and also guide researchers and clinicians regarding the wide range of benefits of physical activity.

Key Words: brain; exercise; activity; health; childhood

Introduction

In recent years, many changes have been made in the lifestyle of different periods of life, especially in childhood. Unlike children a few decades ago, today's children increasingly lead sedentary lifestyles that include time spent on computers, watching television, and using cell phones a lot. This lifestyle makes them neglect the physical activity that is necessary during this period of growth [1,2]. In times when children are less active, the significance of studies on the positive impact of sport on physical health, mental health, and cognitive functioning, is critical [3–7]. The aim of such research is to raise awareness of the gravity of the problem, as well as to create a holistic health program that promotes being physically active in different contexts, including with family and in school [8]. Limited physical activity, or often a complete lack thereof, leads to various health problems, including posture problems (such as idiopathic scoliosis), somatic conditions, being overweight and obese, problems with circulation, and even premature death [6,9–12]. There is increasing empirical evidence of a relationship between a lack of physical activity and mental health measures. For instance, research suggests that overweight adolescents who do not practice sports are more prone to risk behaviors, including suicide attempts and addiction to both alcohol and illicit drugs [13,14]. The guidelines referring to physical activity in a report from the National Association for Sport and Physical Education [2] emphasize that children should spend as much time as possible engaging in activities that require physical movement. The World Health

Organization and Fonds Gesunde Österreich [15] further specify guidelines indicating that children should devote at least 60 min a day to physical activity (such as going to school on foot, walking up-stairs, and cycling). Moreover, children should strengthen their muscles and bones with strength training at least two to three times a week [16]. The argument has been made those children who do not do physical exercise will never fully develop their genetic potential in terms of motor skills [17].

It has been shown that engaging in sports is a protective factor against somatic illnesses and pathological behaviors [18,19]. Sport provides an equilibrium between group demands and individual demands, between aggressive behaviors and self-control. It fosters a sense of belonging to a group, and teaches coping with both victory and defeat [20]. Regular physical activity also leads to better circulation and oxygen supply to the brain, an increase in bone and muscle density, and greater tolerance of stress [15]. Cadenas et al. (2023) show that Physical activity, sedentary time, and physical fitness were significantly related to the shapes of subcortical brain structures, which in turn were related to intelligence in children with overweight/obesity [21].

Increased susceptibility to risk behaviors among adolescents is associated with a not-yet-mature cognitive-control system, which is responsible for impulses associated with engaging in risk behaviors [22]

Although it is evident that physical activity is related to physical and mental health [23], the relation between physical activity and cognitive functioning requires further study. Cognitive functions include: memory, attention, visual-spatial, and executive functions, while complex cognitive processes include: thinking (abstract, cause and effect, creative thinking, and planning) and language functions [24]. Despite the importance of this issue, few studies are concerned with the relationship between sports and cognitive functioning of children in late childhood [25], and research to date (unfortunately not free of errors in sampling) provides contradictory results regarding the influence of sports on cognitive functions in children. Some report that sports have a positive influence [3,26–29], particularly on executive functions, which develop intensively in this period [28,30], as well as mention the positive impact of regular and irregular exercises which lead to an increase in the level of oxyhemoglobin that facilitates the operation of executive functions for up to 30 minutes [31]. Others, however, do not confirm this positive influence of physical activity on cognitive functioning [32,33].

2. Methods

This review was conducted using Ebsco Information Services to access two electronic databases (PsycInfo and Medline), as well as Google Scholar. The search focused on articles published from 2000 until 2023. A total of 642 articles met these original criteria. Articles included some systematic reviews, but were mostly original research. These articles were further assessed, and only those that emphasized the disciplines related to the research topic (psychology, sport, medicine) were included in the final sample. A total of 60 articles were then reviewed, given that many of the articles that emerged in the initial search were connected to attention deficit hyperactivity disorder (ADHD) and disability, rather than physical activity and cognition. Such articles were excluded from the sample. Other publications were referenced to introduce the problem and to discuss its background in the neuropsychological context.

3. Results

We have evaluated the following subtopics in the articles we reviewed below: Brain development, attention, thinking, learning, and memory. Below, we review and highlight some of the most important findings in relation to each of the subthemes, followed by a model illustrating the impact of exercise on physical, mental and social resources.

3.1 Brain development

Exercising increases blood flow to the brain. Blood carries oxygen and glucose to the parts of the brain that are important for increasing alertness and mental focus. For this reason, playing sports helps to increase children's ability to learn. Research has shown that a three-month exercise regimen can increase blood flow to parts of the brain related to memory and learning by 30%. Other studies have shown that exercise creates new brain cells in a part of the brain known as the dentate gyrus, which is associated with memory and memory loss. Physical activity in children also stimulates nerve growth factors. People who have proper and regular exercise, their short-term memory is strengthened, they have a faster reaction time and benefit from a high level of creativity [22, 23]. Another benefit of children's physical activity is that it increases the level of brain-derived neurotrophic factor or BDNF. BDNF is a factor that causes nerve cells to expand, connect and communicate with each other in new ways. This leads to the child becoming more ready for motor, cognitive and social learning. MRI examination of children who have adequate physical activity has shown that these children have larger basal ganglia, which is a key part of the brain and has an effect on maintaining attention and executive control, and in other words, this area of the brain The ability to coordinate movements and complex thoughts is effective. Children with good physical condition have larger hippocampus. The hippocampus is

the area of the brain that is the main center of learning and memory and is very effective in the motor and cognitive development of growing children. Also, exercising helps to develop the child's creativity. Studies have shown that a 35-minute exercise session with a treadmill improves a child's cognitive and perceptual flexibility, the brain's ability to change thoughts and create creativity and innovative thinking [22, 23].

3.2 Attention

The ability to focus attention is improved among children who participate in physical activities [34–36]. Cross-sectional studies suggest that with regards to cognitive flexibility and operational memory, the regularity and intensity of physical activity in children aged 13–14 years positively affects their ability to focus attention on a given task [37]. This effect is especially noticeable after the third hour of classroom lessons; the time at which processes related to attention and focus on a given task tend to deteriorate. Students who regularly do sports are also calmer during lessons [15]. Some researchers indicate the lack of connection between mental activity and shifting attention or flexibility of attention. They also emphasize that there is a significant deterioration of these functions among individuals who spend too much time in front of the computer screen and playing too many computer games, as defined by self-reports and objective measures [38]. They also stress that children who do some form of sport (e.g., karate) function better than those who prefer passive activity. This result is observed through better speed times and visual selective attention than in the case of children with a sedentary lifestyle [39]. Studies have also been conducted that focus on physical activity outside of class-time or school settings. These studies revealed that physical activity in non-school contexts enhances selective attention, in contrast to passive activities in non-school contexts [40]. Some studies revealed the positive impact of sport, specifically on executive functions [27,28,36], which develop intensively in the period of late childhood [4,28,39]. Research using various kinds of intervention trials confirms the beneficial influence of physical activity on attention. Even a 12 min session of aerobic exercise improved the selective attention of children [41]. Research has also demonstrated the positive impact of exercise, both regular and irregular, which leads to an increase in the level of oxyhemoglobin, facilitating the operation of executive functions for up to 30 min [31]. At the same time, the unfavorable influence of lack of physical activity on cognitive functioning is reported. It has been found that there is a negative impact of time spent in front of the computer screen on executive functions as related to inhibition [36].

It was also found that children who engaged in physical activity demonstrated better executive functions in terms of inhibition [5,35] and better planning abilities [42] than children who did not engage in any physical activity. Studies conducted with children aged 8–9 years confirmed that sport influences changes in the right anterior prefrontal cortex, which are related to cognitive control [43]. The findings suggest, that plan-structured sport activities, for example tennis play, are associated with the development of inhibitory control. Although the development of inhibitory control and cognitive flexibility is slower in males than in females, the association between tennis play and inhibitory control and cognitive flexibility appears to be larger in males [44]. Additionally, playing football has a positive influence on executive functioning, including attention, in children [45]. In the case of attention, correlational and associational studies showed much weaker effects than studies which included interventions.

3. 3 Thinking

“Thinking” is operationalized in this context as abstract thinking, conceptualizing cause-and-effect, creative thinking, and planning. Few studies have investigated the relation between physical activity and thinking. Children who participate in organized sport activities have been found to demonstrate a lower level of creativity as adults when compared to individuals participating in non-organized sport activities [46].

Apart from cross-sectional studies, a small number of studies with interventions were also conducted. Planning processes in children who attended a Football Exercise Program for at least six months were more developed in comparison to a control group of sedentary peers [45]. As in the case of attention, correlational and associational studies on thinking also showed much weaker effects than studies which included interventions.

3.4 Learning and Memory

A decided majority of studies in this domain were based on different types of intervention trials. Previous research suggests that, overall, children who are more fit were found to have greater basal ganglia and hippocampus capacities [63]. These areas are associated with cognitive control and memory [43,63]. Among children aged 3–5 years, increased physical activity was found to improve their cognitive functions, especially in the area of working memory [64]. A similar improvement was observed in children who trained in karate [39]. A positive correlation was found between physical activity and better working memory among children aged 8–12 years [4,36,65,66]. Studies conducted by Kubesch et al. [37] demonstrated that the intensity of physical activity in children aged 12–14 years positively affected cognitive flexibility and operational memory. Similar results from Ishihara et al. [44] and Alesi et al. [45] found that tennis and football are associated with the development of working memory. In addition, physical activity is said to have a positive impact on visuospatial (V-S) memory [40,45]. Classroom-based physical activity (a 10-min bout of aerobic physical activity integrated with math practice) improved both physical activity levels and academic achievement. Results showed that among overweight children, physical activity improved performance in the Standard Flanker test by preventing the decline associated with seated practice [67]. Some results [68] suggest that game-based tennis lessons have beneficial effects on inhibitory control and physical fitness levels, and a longer duration of coordination training is associated with better working memory. Research done by Mavilidi et al. [69] and Toumpaniari et al. [70] indicated that integrated physical exercises and gestures in preschool children achieved the best foreign language vocabulary learning outcomes.

4. Discussion

Key findings of most studies included in this review indicate that children's engagement in physical activity may be associated with changes to certain brain structures, leading to an improvement in memory function (working memory in particular), as well as cognitive control. Independent of the children's age category (early, mid, or late childhood), increased physical activity has been shown to improve cognitive function, especially in regard to working memory, V-S memory, and cognitive flexibility [36,37,39,65,66]. The basic development of motor, cognitive, and social skills, which are crucial in further development, is already taking place in early and mid-childhood [72]. As such, studies that concern children in late childhood, whose executive functions are largely developed, are of special importance. The most intensive development of all components of executive functions, especially cognitive flexibility, happens at school age, usually between 7 and 12 years of age.

Physical exercise increases circulation, which leads to better oxygen supply to the brain, as well as providing the brain with nutrients [73–75]. Cadenas et al. (2023) show that Physical activity, sedentary time, and physical fitness were significantly related to the shapes of subcortical brain structures, which in turn were related to intelligence in children with overweight/obesity [21]. Engaging in sports has a positive influence on all systems: the motor, cardiovascular, respiratory, hormonal, immunologic, and nervous systems. Thus, it stimulates the maturation of the motor areas in the brain, which in turn influences the motoric development and increases the speed of the conductance of nervous impulses [30,45,74]. Valentina Biino et al. (2023) in a research show that cognitively enriched physical activity foster motor competence and executive function as early as preschool age [75]. Some studies have also

reported the harmful effects of lack of continuous physical activity on children's mental health [76, 77].

Physical activity also stimulates the increase of neuro-hormonal secretion (substances produced by hypothalamic neurons and transported by blood or cerebrospinal fluid), having a significant impact on the excitability of neurons forming synapses [73]. School-age children who devote at least an hour each day to intensive physical activity show much better cognitive functioning, and researchers emphasize that, despite these unquestionable benefits, only about a third of children regularly engage in sports [78–80].

Conclusions

This literature shows that cognitive performance, efficient memory, high cognitive ability, as well as academic achievement in children depend on high levels of physical activity in childhood. In addition to sports, other activities that children do, such as playing musical instruments [45], are also related to cognitive performance, but physical activity, as the most natural activity for children of that age, is the most desirable. The results show that engaging in sports in late childhood is valuable because it has a positive effect on cognitive and emotional functions. However, few studies have examined the effect of exercise on preadolescent cognitive functions or which cognitive functions are enhanced by which sports. Such knowledge can be useful in developing training programs for preadolescents aimed at improving cognitive functions important for a sport.

Exercising increases blood flow to the brain. Blood carries oxygen and glucose to the parts of the brain that are important for increasing alertness and mental focus. Regular physical activity leads to adjustment of adaptations in the hippocampus. The hippocampus is the main center of learning and memory in the brain, which is very effective in the cognitive development of children. Another benefit of children's physical activity is that it increases the level of brain-derived neurotrophic factor or BDNF. BDNF is a factor that causes nerve cells to expand, connect and communicate with each other in new ways. This leads to the child becoming more ready for motor, cognitive and social learning [22, 23].

Acknowledgment

We would like thank all the researchers whose articles we used for this research

References

1. Graf, C.; Koch, B.; Klippel, S.; Buttner, S.; Coburger, S.; et al., (2003) et al. Zusammenhange zwischen körperlicher Aktivität und Konzentration im Kindesalter Eingangsergebnisse des CHILT—Projektes. [Relationship between physical activity and concentration in childhood—Initial results of the CHILT project]. *Dtsch. Z. Sportmed.*, 54, 242–246.
2. Graf, C. (2016), Aktiv in jedem Alter—Sport und Ernährung in den verschiedenen Lebensphasen: Kinder [Active at any age—Sports and nutrition in various stages of life: Children]. *Aktuel Ernährungsmed.*, 41, 32–34.
3. Cox, E.P.; O'Dwyer, N.; Cook, R.; Vetter, M.; Cheng, H.L.; et al., (2016), Relationship between physical activity and cognitive function in apparently healthy young to middle-aged adults: A systematic review. *J. Sci. Med. Sport*, 19, 616–628.
4. De Greeff, J.W.; Bosker, R.J.; Oosterlaan, J.; Visscher, C.; Hartman, E. (2018), Effects of physical activity on executive functions, attention and academic performance in preadolescent children: A meta-analysis. *J. Sci. Med. Sport*, 21, 501–507.
5. Hillman, C.H.; Pontifex, M.B.; Castelli, D.M.; Khan, N.A.; Raine, L.B.; et al., (2014), Effects of the FITKids randomized controlled trial on executive control and brain function. *Pediatrics*, 134, e1063–e1071.

6. Hillman, C.H.; Schott, N. (2015), Der Zusammenhang von fitness, kognitiver Leistungsfähigkeit und Gehirnzustand im Schulkindalter. Konsequenzen für die schulische Leistungsfähigkeit [Fitness and cognitive performance in childhood]. *Z. Sportpsychol.*, 20, 33–41.
7. Okely, T.; Howard, S.; Cliff, D.; Reilly, J.; Jones, R.; Janssen, X. (2014), Relationships between standing and stepping time and executive functions in children aged 3–5 years. *J. Sci. Med. Sport*, 18, e39.
8. Buschmann, C. (2014), Einfluss von Zusätzlichen Bewegungsprogrammen auf die Motorische und Kognitive Leistungsfähigkeit bei Grundschulkindern. Projekt "Klasse in Sport—Initiative für Täglichen Schulsport"; Staats- und Universitätsbibliothek Hamburg: Hamburg, Germany; p. 2018.
9. Hillman, C.H.; Erickson, K.I.; Kramer, A.F. Be smart, (2008), exercise your heart: Exercise effects on brain and cognition. *Nat. Rev. Neurosci*, 9, 58–65.
10. Kohl, H.W.; Craig, C.L.; Lambert, E.V.; Inoue, S.; Alkandari, J.R.; et all., (2012), The pandemic of physical inactivity: Global action for public health. *Lancet*, 380, 294–305.
11. Lipowski, M.; Bulin'ski, L.; Krawczyn'ski, M. (2009), Physical activities among other types of health-related behavior in people losing weight. *Med. Sci. Monit*, 15, CR423–CR428.
12. Lipowski, M.; Zaleski, Z. (2015), Inventory of Physical Activity Objectives—A new method of measuring motives for physical activity and sport. *Health Psychol. Rep*, 3, 47–58.
13. Kubesch, S. (2002), Sportunterricht: Training für Körper und Geist. *Nervenheilkunde*, 21, 481.
14. Lipowski, M.; Lipowska, M.; Jochimek, M.; Krokosz, D. (2016), Resiliency as a factor protecting youths from risky behaviour: Moderating effects of gender and sport. *Eur. J. Sport Sci.* 16, 246–255.
15. Frischenschlager, E.; Gosch, J. (2012), Active Learning—Leichter lernen durch Bewegung. [Active Learning—Easier learning through physical activity]. *Erzieh. Unterr*, 162, 131–137.
16. Bullock, S.H.; Jones, B.H.; Gilchrist, J.; Marshall, S.W. (2010), Prevention of physical training-related injuries recommendations for the military and other active populations based on expedited systematic reviews. *Am. J. Prev. Med.* 38, S156–S181.
17. Myer, G.D.; Faigenbaum, A.D.; Edwards, N.M.; Clark, J.F.; Best, T.M.; Sallis, R.E. (2015), Sixty minutes of what? A developing brain perspective for activating children with an integrative exercise approach. *Br. J. Sports Med.* 49, 1510–1516.
18. Bobrowski, K. Czas wolny a zachowania ryzykowne młodzieży [Free time and risk behaviours in adolescents]. *Alkohol. Narkom.* 2007, 20, 267–287.
19. Ostaszewski, K.; Rusecka-Krawczyk, A.; Wójcik, M. (2009), Czynniki Ochronne i Czynniki Ryzyka Związkane z Zachowaniami Problemowymi Warszawskich Gimnazjalistów [Protective and Risk Factors Associated with Problem Behaviours in Warsaw Middle School Students]; *Instytut Psychiatrii i Neurologii*: Warsaw, Poland.
20. Spence, D. A (2006), sporting chances. *BMJ*, 332, 675.
21. Cadenas-Sánchez C, Migueles JH, Verdejo-Román J, Erickson KI, Esteban-Cornejo I, Catena A, Ortega FB. (2023), Physical activity, sedentary time, and fitness in relation to brain shapes in children with overweight/obesity: Links to intelligence. Scandinavian Journal of Medicine & Science in Sports. Mar;33(3):319-330.
22. Bidzan-Bluma, I., & Lipowska, M. (2018). Physical activity and cognitive functioning of children: a systematic review. *International journal of environmental research and public health*, 15(4), 800.
23. Hillman, C. H., Erickson, K. I., & Hatfield, B. D. (2017). Run for your life! Childhood physical activity effects on brain and cognition. *Kinesiology Review*, 6(1), 12-21.
24. Evans, J.J. (2003), Basic concepts and principles of neuropsychological assessment. In *Handbook of Clinical Neuropsychology*; Halligan, P.W., Kischka, U., Marshall, J.C., Eds.; University Press: Oxford, UK; pp. 15–26.
25. Ellemerg, D.; St-Louis-Deschênes, M. (2010), The effect of acute physical exercise on cognitive function during development. *Psychol. Sport Exerc*, 11, 122–126.
26. Carson, V.; Hunter, S.; Kuzik, N.; Wiebe, S.A.; Spence, J.C.; et all., (2016), Systematic review of physical activity and cognitive development in early childhood. *J. Sci. Med. Sport*, 19, 573–578.
27. Hinkle, J.S.; Tuckman, B.W.; Sampson, J.P. (1993), The psychology, physiology, and creativity of middle school aerobic exercisers. *Elem. Sch. Guidance Couns*, 28, 133–145.
28. Schulz, K.H.; Meyer, A.; Langguth, N. (2012), Körperliche Aktivität und psychische Gesundheit [Physical activity and mental health]. *Bundesgesundheitsblatt Gesundh. Gesundheitsschutz*, 55, 55–65.
29. Tuckman, B.W.; Hinkle, J.S. (1986), An experimental study of the physical and psychological effects of aerobic exercise on schoolchildren. *Health Psychol*, 5, 197–207.
30. Van der Fels, I.M.J.; Te Wierike, S.C.M.; Hartman, E.; Elferink-Gemser, et all., (2015), The relationship between motor skills and cognitive skills in 4–16-year-old typically developing children: A systematic review. *J. Sci. Med. Sport*, 18, 697–703.
31. Lambrick, D.; Stoner, L.; Grigg, R.; Faulkner, J. (2016), Effects of continuous and intermittent exercise on executive function in children aged 8–10 years. *Psychophysiology*, 53, 1335–1342.
32. Ahamed, Y.; Macdonald, H.; Reed, K.; Naylor, P.J.; Liu-Ambrose, T.; McKay, H. (2007), School-Based Physical Activity Does Not Compromise Children's Academic Performance. *Med. Sci. Sports Exerc*, 39, 371–376.
33. Zervas, Y.; Danis, A.; Klissouras, V. Influence of physical exertion on mental performance with reference to training. *Percept. Mot. Skills* 1991, 72, 1215–1221.
34. Scudder, M.R.; Lambourne, K.; Drollette, E.S.; Herrmann, S.D.; Washburn, R.A.; et all., (2014), Aerobic capacity and cognitive control in elementary school-age children. *Med. Sci. Sports Exerc.*, 46, 1025–1035.
35. Scudder, M.R.; Federmeier, K.D.; Raine, L.B.; Direito, A.; Boyd, J.K.; Hillman, C.H. (2014), The association between aerobic fitness and language processing in children: Implications for academic achievement. *Brain Cognit.*, 87, 140–152.
36. Verburgh, L.; Scherder, E.J.A.; van Lange, P.A.M.; Oosterlaan, J. (2016), The key to success in elite athletes? Explicit and implicit motor learning in youth elite and non-elite soccer players. *J. Sports Sci.*, 34, 1782–1790.
37. Kubesch, S.; Walk, L.; Spitzer, M.; Kammer, T.; Lainburg, A.; et all., (2009) A 30-min physical education program improves students' executive attention. *Mind Brain Educ.*, 3, 235–242.

38. Syväoja, H.J.; Tammelin, T.H.; Ahonen, T.; Kankaanpää, A.; Kantomaa, M.T. (2014), The associations of objectively measured physical activity and sedentary time with cognitive functions in school-aged children. *PLoS ONE*, 9,

39. Alesi, M.; Bianco, A.; Padulo, J.; Vella, F.P.; Petrucci, M.; et all., (2014), Motor and cognitive development: The role of karate. *Muscles Ligaments Tendons J*, 4, 114–120.

40. Janssen, M.; Chinapaw, M.J.M.; Rauh, S.P.; Toussaint, H.M.; van Mechelen, W.; Verhagen, E.A.L.M. (2014), A short physical activity break from cognitive tasks increases selective attention in primary school children aged 10–11. *Ment. Health Phys. Act.*, 7, 129–134.

41. Bowers, M.T.; Green, B.C.; Hemme, F.; Chalip, L. (2014), Assessing the Relationship between Youth Sport Participation Settings and Creativity in Adulthood. *Creat. Res. J.*, 26, 314–327.

42. Trudeau, F.; Shephard, R.J. (2008), Physical education, school physical activity, school sports and academic performance. *Int. J. Behav. Nutr. Phys. Act.*, 5, 10.

43. Łuszczyn'ska, A. (2011), Psychologia sportu i Aktywności Fizycznej [Psychology of Sports and Physical Activity], 1st ed.; PWN: Warsaw, Poland.

44. McMorris, T.; Tomporowski, P.; Audiffren, M. (2009), Exercise and Cognitive Function, 1th ed.; Wiley Blackwell: Oxford, UK.

45. Koch, H.J.; Kittig, G.; Eisermann, B.; Böhm, A.; Hartwich-Koch, R. (2015), Konzept einer zusätzlichen Sportstunde pro Woche in englischer Sprache ("moving words") in einer Mittelschule. *MMW—Fortschr. Med.*, 157, 1–5.

46. Mullender-Wijnsma, M.J.; Hartman, E.; de Greeff, J.W.; Doolaard, S.; Bosker, R.J.; Visscher, C. (2016), Physically active math and language lessons improve academic achievement: A cluster randomized controlled trial. *Pediatrics*, 137, 1–9.

47. Abdelkarim, O.; Ammar, A.; Chtourou, H.; Wagner, M.; Knisel, E.; et all., (2017), Relationship between motor and cognitive learning abilities among primary school-aged children. *Alexandria J. Med.*, 53, 325–331.

48. Chomitz, V.R.; Slining, M.M.; McGowan, R.J.; Mitchell, S.E.; Dawson, G.F.; et all., (2009), Is there a relationship between physical fitness and academic achievement? Positive results from public school children in the northeastern United States. *J. Sch. Health*, 79, 30–37.

49. Kubesch, S.; Walk, L. (2009), Körperliches und kognitives Training exekutiver Funktionen in Kindergarten und Schule [Physical and Cognitive Training of Executive Functions in Kindergarten and School]. *Sportwissenschaft*, 39, 309.

50. Colcombe, S.; Kramer, A.F. (2003), Fitness effects on the cognitive function of older adults: A meta-analytic study. *Psychol. Sci*, 14, 125–130.

51. Erickson, K.I.; Kramer, A.F. (2009), Aerobic exercise effects on cognitive and neural plasticity in older adults. *Br. J. Sports Med.*, 43, 22–24.

52. Davis, C.L.; Tomporowski, P.D.; McDowell, J.E.; Austin, B.P.; Miller, P.H.; et all., (2011), Exercise improves executive function and achievement and alters brain activation in overweight children: A randomized, controlled trial. *Health Psychol.*, 30, 91–98.

53. Hogan, M.J.; O'Hora, D.; Kiefer, M.; Kubesch, S.; Kilmartin, L.; et all., (2015), The effects of cardiorespiratory fitness and acute aerobic exercise on executive functioning and EEG entropy in adolescents. *Front. Hum. Neurosci*, 9, 538.

54. Lezak, M.; Howieson, M.; Loring, D. (2004), *Neuropsychological Assessment*, 4th ed.; Oxford University Press: New York, NY, USA.

55. Diamond, A.; Lee, K. (2011), Interventions shown to aid executive function development in children 4 to 12 years old. *Science*, 333, 959–964.

56. Kim, Y.J.; Cha, E.J.; Kang, K.D.; Kim, B.-N.; Han, D.H. (2016), The effects of sport dance on brain connectivity and body intelligence. *J. Cognit. Psychol.*, 28, 611–617.

57. Bunketorp Käll, L.; Malmgren, H.; Olsson, E.; Lindén, T.; Nilsson, M. (2015), Effects of a Curricular Physical Activity Intervention on Children's School Performance, Wellness, and Brain Development. *J. Sch. Health*, 85, 704–713.

58. Chaddock-Heyman, L.; Hillman, C.H.; Cohen, N.J.; Kramer, A.F., III. (2014), The importance of physical activity and aerobic fitness for cognitive control and memory in children. *Monogr. Soc. Res. Child Dev*, 79, 25–50.

59. Roberts, G.; Quach, J.; Spencer-Smith, M.; Anderson, P.J.; Gathercole, S.; et al. (2016), Academic Outcomes 2 Years After Working Memory Training for Children with Low Working Memory: A Randomized Clinical Trial. *JAMA Pediatr*, 170.

60. Chen, A.G.; Yan, J.; Yin, H.C.; Pan, C.Y.; Chang, Y.K. (2014), Effects of acute aerobic exercise on multiple aspects of executive function in preadolescent children. *Psychol. Sport Exerc*, 15, 627–636.

61. Kamijo, K.; Pontifex, M.B.; O'Leary, K.C.; Scudder, M.R.; Wu, C.T.; et all., (2011), The effects of an afterschool physical activity program on working memory in preadolescent children. *Dev. Sci.*, 14, 1046–1058.

62. Vazou, S.; Smiley-Oyen, A. (2014), Moving and academic learning are not antagonists: Acute effects on executive function and enjoyment. *J. Sport Exerc. Psychol.*, 36, 474–485.

63. Ishihara, T.; Sugawara, S.; Matsuda, Y.; Mizuno, M. (2017), Improved executive functions in 6-12-year-old children following cognitively engaging tennis lessons. *J. Sports Sci.*, 35, 2014–2020.

64. Mavilidi, M.F.; Okely, A.; Chandler, P.; Cliff, D.; Paas, F. (2015), Effects of Integrated Physical Exercises and Gestures on Preschool Children's Foreign Language Vocabulary Learning. *Educ. Psychol. Rev.*, 27, 413–426.

65. Toumpaniari, K.; Loyens, S.; Mavilidi, M.F.; Paas, F. (2015), Preschool Children's Foreign Language Vocabulary Learning by Embodying Words through Physical Activity and Gesturing. *Educ. Psychol. Rev.*, 27, 445–456.

66. Diehl, K.; De Bock, F.; Schneider, S. (2014), Bedeutung der sportlichen Aktivität für Kinder und Jugendliche aus soziologischer und pädagogischer Perspektive. In *Aktiv und Gesund? Interdisziplinäre Perspektiven auf den Zusammenhang zwischen Sport und Gesundheit*; Becker, S., Ed.; Springer Fachmedien Wiesbaden: Wiesbaden, Germany; pp. 311–329.

67. Frey, A.; Mengelkamp, C. (2007), Auswirkungen von Sport und Bewegung auf die Entwicklung von Kindergartenkindern [Impact of sport and exercise on the development of preschool children]. *Bildungsforschung*, 4, 1–19.

68. Hollmann, W.; Struder, H.K. Gehirn, (2000), Psyche und Körperliche Aktivität [Brain, Psyche and Physical Activity], 1th ed.; Springer: Berlin, Germany.

69. Makarowski, R.; Lipowski, M.; Marszałł, M.; Czarnowski, W. (2009), Temperamental determinants of physical activity as preventive factor of heart diseases—In the search of the model. *Pol. J. Sport Med*, 25, 83–94.

70. Biino V, Tinagli V, Borioni F, Pesce C. (2023), Cognitively enriched physical activity may foster motor competence executive function as early as preschool age: a pilot trial. *Physical Education and Sport Pedagogy*. Jul 4;28(4):425-443.

71. Viegas AA, Mendonça VA, Pontes Nobre JN, Souza Morais RL, Fernandes AC, et all., (2023), Associations of physical activity and cognitive function with gross motor skills in preschoolers: Cross-sectional study. *Journal of Motor Behavior*. Nov 2;55(6):564-579.

72. Marconcin P, Werneck AO, Peralta M, Ihle A, Gouveia ÉR, et all., (2022), The association between physical activity and mental health during the first year of the COVID-19 pandemic: a systematic review. *BMC public health*. Feb 1;22(1):209.

73. Masini A, Sanmarchi F, Kawalec A, Esposito F, Scrimaglia S, et all., (2023) Mediterranean diet, physical activity, and family characteristics associated with cognitive performance in Italian primary school children: Analysis of the I-MOVE project. *European Journal of Pediatrics*. Feb;182(2):917-927.

74. Andermo S, Hallgren M, Nguyen TT, Jonsson S, Petersen S, et all., (2020), School-related physical activity interventions and mental health among children: a systematic review and meta-analysis. *Sports medicine-open*. Dec; 6:1-27.

75. Roden, I.; Grube, D.; Bongard, S.; Kreutz, G. (2014), Does music training enhance working memory performance? Findings from a quasi-experimental longitudinal study. *Psychol. Music*, 42, 284–298.



This work is licensed under Creative Commons Attribution 4.0 License

To Submit Your Article Click Here:

[Submit Manuscript](#)

DOI:[10.31579/2640-1045/106](https://doi.org/10.31579/2640-1045/106)

Ready to submit your research? Choose Auctores and benefit from:

- fast, convenient online submission
- rigorous peer review by experienced research in your field
- rapid publication on acceptance
- authors retain copyrights
- unique DOI for all articles
- immediate, unrestricted online access

At Auctores, research is always in progress.

Learn more <https://auctoresonline.org/journals/brain-and-neurological-disorders>